



Miswa Chemicals Ltd.



SAFETY DATA SHEET

Polygard Screenwash Concentrate -10°C

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Product name	Polygard Screenwash Concentrate -10°C
Product number	18200-N, 18201-N, 18205-N, 18250-N, 18250-N-A
Internal identification	B18936
Container size	500ml to 5 litre plastic containers

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses	All purpose automotive windscreen cleaner
Uses advised against	This product is not recommended for any industrial, professional or consumer use other than the identified uses stated above.

1.3. Details of the supplier of the safety data sheet

Supplier	Miswa Chemicals Ltd Caswell Road Brackmills Northampton England NN4 7PW T: +44 (0)1604 701111 F: +44 (0)1604 701120 SDSAdmin@miswa.com
----------	--

1.4. Emergency telephone number

Emergency telephone	Tel.: +44 (0)1604 701111 (Miswa Office Hours Monday - Friday (0900Hrs - 1700Hrs))
---------------------	---

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

Classification (EC 1272/2008)

Physical hazards	Not Classified
Health hazards	Not Classified
Environmental hazards	Not Classified

Environmental The product is not expected to be hazardous to the environment.

2.2. Label elements

Hazard statements	NC Not Classified
Precautionary statements	P102 Keep out of reach of children. P280 Wear protective gloves/ protective clothing/ eye protection/ face protection. P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P370+P378 In case of fire: Use foam, carbon dioxide, dry powder or water fog to extinguish. P403+P235 Store in a well-ventilated place. Keep cool. P501 Dispose of contents/ container in accordance with national regulations.
Detergent labelling	< 5% perfumes, Contains BENZISOTHIAZOLINONE



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

2.3. Other hazards

This product does not contain any substances classified as PBT or vPvB. This product does not sustain combustion.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

ETHANOL			5-10%
CAS number: 64-17-5	EC number: 200-578-6	REACH registration number: 01-2119457610-43-XXXX	
Classification Flam. Liq. 2 - H225 Eye Irrit. 2 - H319			
ETHANEDIOL			1-5%
CAS number: 107-21-1	EC number: 203-473-3	REACH registration number: 01-2119456816-28-XXXX	
Classification Acute Tox. 4 - H302 STOT RE 2 - H373			
METHANOL			<0.6%
CAS number: 67-56-1	EC number: 200-659-6	REACH registration number: 01-2119433307-44-XXXX	
Classification Flam. Liq. 2 - H225 Acute Tox. 3 - H301 Acute Tox. 3 - H311 Acute Tox. 3 - H331 STOT SE 1 - H370			

The full text for all hazard statements is displayed in Section 16.

Composition comments The data shown are in accordance with the latest EC Directives.

SECTION 4: First aid measures

4.1. Description of first aid measures

General information	Move affected person to fresh air and keep warm and at rest in a position comfortable for breathing. Never give anything by mouth to an unconscious person. Get medical attention if any discomfort continues.
Inhalation	Move affected person to fresh air at once. Get medical attention if any discomfort continues. Place unconscious person on their side in the recovery position and ensure breathing can take place.
Ingestion	Never give anything by mouth to an unconscious person. Rinse mouth thoroughly with water. Keep affected person under observation. Do not induce vomiting. If vomiting occurs, the head should be kept low so that stomach vomit doesn't enter the lungs. Get medical attention if symptoms are severe or persist.



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Skin contact	Remove affected person from source of contamination. Remove contaminated clothing. Rinse immediately with plenty of water. Get medical attention if any discomfort continues.
Eye contact	Remove any contact lenses and open eyelids wide apart. Continue to rinse for at least 15 minutes. Get medical attention if any discomfort continues. Get medical attention if symptoms are severe or persist after washing.
4.2. Most important symptoms and effects, both acute and delayed	
General information	The product is considered to be a low hazard under normal conditions of use. The severity of the symptoms described will vary dependent on the concentration and the length of exposure.
Inhalation	In the unlikely event of over exposure to organic solvent vapours from this product, symptoms which may develop include headache, fatigue, dizziness and nausea.
Ingestion	This is an unlikely accidental route of exposure, but when Ingested in large amounts:- May cause nausea, headache, dizziness and intoxication. May cause stomach pain or vomiting.
Skin contact	Prolonged or repeated contact with skin may cause irritation, redness and dermatitis.
Eye contact	May cause discomfort. Irritation of eyes and mucous membranes.
4.3. Indication of any immediate medical attention and special treatment needed	
Notes for the doctor	No specific recommendations. Treat symptomatically. If in doubt, get medical attention promptly.

SECTION 5: Firefighting measures

5.1. Extinguishing media

Suitable extinguishing media	The product is not flammable. Use fire-extinguishing media suitable for the surrounding fire.
Unsuitable extinguishing media	Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture

Specific hazards	No unusual fire or explosion hazards noted.
Hazardous combustion products	Oxides of carbon. Thermal decomposition or combustion may liberate carbon oxides and other toxic gases or vapours.

5.3. Advice for firefighters

Protective actions during firefighting	Avoid breathing fire gases or vapours. Control run-off water by containing and keeping it out of sewers and watercourses.
Special protective equipment for firefighters	Wear positive-pressure self-contained breathing apparatus (SCBA) and appropriate protective clothing.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

Personal precautions	Wear protective clothing as described in Section 8 of this safety data sheet.
----------------------	---

6.2. Environmental precautions

Environmental precautions	Spillages or uncontrolled discharges into watercourses must be reported immediately to the Environmental Agency or other appropriate regulatory body. Collect and place in suitable waste disposal containers and seal securely. Label the containers containing waste and contaminated materials and remove from the area as soon as possible.
---------------------------	---

6.3. Methods and material for containment and cleaning up



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Methods for cleaning up Wear suitable protective equipment, including gloves, goggles/face shield, respirator, boots, clothing or apron, as appropriate. Stop leak if possible without risk. Absorb in vermiculite, dry sand or earth and place into containers. Avoid the spillage or runoff entering drains, sewers or watercourses. Take care as floors and other surfaces may become slippery.

6.4. Reference to other sections

Reference to other sections For personal protection, see Section 8. See Section 11 for additional information on health hazards. For waste disposal, see Section 13.

SECTION 7: Handling and storage

7.1. Precautions for safe handling

Usage precautions Avoid spilling. Do not wear contact lenses. During application and drying, solvent vapours will be emitted. Do not get in eyes, on skin or on clothing.

7.2. Conditions for safe storage, including any incompatibilities

Storage precautions Store in tightly-closed, original container in a dry, cool and well-ventilated place.

7.3. Specific end use(s)

Specific end use(s) The identified uses for this product are detailed in Section 1.2.

SECTION 8: Exposure controls/Personal protection

8.1. Control parameters

Occupational exposure limits

ETHANOL

Long-term exposure limit (8-hour TWA): WEL 1000 ppm 1920 mg/m³

ETHANEDIOL

Long-term exposure limit (8-hour TWA): WEL 52 mg/m³ 20 ppm

Short-term exposure limit (15-minute): WEL 104 mg/m³ 40 ppm vapour

Sk

Long-term exposure limit (8-hour TWA): WEL 10 mg/m³ particulate

METHANOL

Long-term exposure limit (8-hour TWA): WEL 200 ppm 266 mg/m³

Short-term exposure limit (15-minute): WEL 250 ppm 333 mg/m³

Long-term exposure limit (8-hour TWA): 2006/15/EC 200 ppm 260 mg/m³

Sk

WEL = Workplace Exposure Limit.

Sk = Can be absorbed through skin.

Sk = Can be absorbed through the skin.

Ingredient comments WEL = Workplace Exposure Limits

ETHANOL (CAS: 64-17-5)

DNEL

Workers - Dermal; Long term systemic effects: 343 mg/kg
 Workers - Inhalation; Long term systemic effects: 950 mg/m³
 Workers - Inhalation; Short term Acute, local effects: 1900 mg/m³
 Consumer - Inhalation; Short term Acute, local effects: 950 mg/m³
 Consumer - Dermal; Long term systemic effects: 206 mg/kg
 Consumer - Inhalation; Long term systemic effects: 114 mg/m³
 Consumer - Oral; Long term systemic effects: 87 mg/kg



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

PNEC	<ul style="list-style-type: none"> - Fresh water; 0.96 mg/l - marine water; 0.79 mg/l - STP; 580 mg/l - Intermittent release; 2.75 mg/l - Sediment (Freshwater); 3.6 mg/kg sediment dw - Sediment (Marinewater); 2.9 mg/kg sediment dw - Soil; 0.63 mg/kg soil dw
------	--

ETHANEDIOL (CAS: 107-21-1)

DNEL	<p>Industry - Dermal; Long term systemic effects: 106 mg/kg bw/day Industry - Inhalation; Long term local effects: 35 mg/m³ Consumer - Dermal; Long term systemic effects: 53 mg/kg bw/day Consumer - Inhalation; Long term local effects: 7 mg/m³</p>
------	---

PNEC	<ul style="list-style-type: none"> - Fresh water; 10 mg/l - marine water; 1 mg/l - Sediment (Freshwater); 37 mg/kg sediment dw - Intermittent release; 10 mg/l - Soil; 1.53 mg/kg - STP; 199.5 mg/l - Sediment (Marinewater); 3.7 mg/kg sediment dw - Soil; 1.53 mg/kg soil dw
------	--

METHANOL (CAS: 67-56-1)

DNEL	<p>Industry - Dermal; Short term Acute: 40 mg/kg bw/day Industry - Dermal; Long term systemic effects: 40 mg/kg bw/day Industry - Inhalation; Short term Acute: 260 mg/m³ Industry - Inhalation; Long term systemic effects: 260 mg/m³ Consumer - Dermal; Short term Acute: 8 mg/kg bw/day Consumer - Dermal; Long term systemic effects: 8 mg/kg bw/day Consumer - Inhalation; Long term systemic effects: 50 mg/m³ Industry - Inhalation; Short term Acute: 260 mg/m³ Industry - Inhalation; Long term local effects: 260 mg/m³ Consumer - Inhalation; Short term Acute: 50 mg/m³ Consumer - Inhalation; Long term local effects: 50 mg/m³</p>
------	---

PNEC	<ul style="list-style-type: none"> - Fresh water; 20.8 mg/l - marine water; 2.08 mg/l - Soil; 3.18 mg/kg soil dw - STP; 100 mg/l - Sediment (Freshwater); 77 mg/kg sediment dw - Intermittent release; 1540 mg/l - Sediment (Marinewater); 7.7 mg/kg sediment dw
------	---

8.2. Exposure controls

Protective equipment



Appropriate engineering controls

Provide adequate ventilation. Avoid inhalation of vapours. Observe any occupational exposure limits for the product or ingredients.



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Eye/face protection	Contact lenses should not be worn when working with this chemical. Eyewear complying with an approved standard should be worn if a risk assessment indicates eye contact is possible. The following protection should be worn: Chemical splash goggles or face shield.
Hand protection	Chemical-resistant, impervious gloves complying with an approved standard should be worn if a risk assessment indicates skin contact is possible. In case of intensive contact, wear protective gloves (EN 374). Adhere to the manufacturer's instructions and information relating to the use, storage, care and replacement of protective gloves. protective gloves shall be replaced immediately when physically damaged or worn. Appropriate Material - Butyl, Material Thickness - 0.6 to 0.8mm, Breakthrough Time - 8Hrs
Other skin and body protection	No specific requirements are anticipated under normal conditions of use. Wear appropriate clothing to prevent repeated or prolonged skin contact. Barrier cream applied before work may make it easier to clean the skin after exposure, but does not prevent absorption through the skin. Provide eyewash station. Use engineering controls to reduce air contamination to permissible exposure level.
Hygiene measures	Provide eyewash station. Wash promptly if skin becomes contaminated. Do not eat, drink or smoke when using this product. Promptly remove any clothing that becomes contaminated. Use appropriate skin cream to prevent drying of skin. Wash at the end of each work shift and before eating, smoking and using the toilet.
Respiratory protection	If ventilation is inadequate, suitable respiratory protection must be worn. Wear a respirator fitted with the following cartridge: Gas filter, type A2.
Environmental exposure controls	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, fume scrubbers, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance	Clear liquid.
Colour	Blue.
Odour	Slight alcoholic. Perfume.
pH	pH (concentrated solution): 6.0 to 9.0
Melting point	Below minus 10°C
Initial boiling point and range	90°C @ 760 mm Hg
Flash point	45°C Closed cup.
Relative density	0.984-0.994g/ml @ 20°C
Solubility(ies)	Completely soluble in water. Very soluble in the following materials: Alcohols.
Partition coefficient	Not available.

9.2. Other information

SECTION 10: Stability and reactivity

10.1. Reactivity

Reactivity There are no known reactivity hazards associated with this product.

10.2. Chemical stability

Stability No particular stability concerns. Stable at normal ambient temperatures and when used as recommended.



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

10.3. Possibility of hazardous reactions

Possibility of hazardous reactions Not applicable. Will not polymerise.

10.4. Conditions to avoid

Conditions to avoid Avoid excessive heat for prolonged periods of time.

10.5. Incompatible materials

Materials to avoid Strong alkalis. Strong acids. Strong oxidising agents.

10.6. Hazardous decomposition products

Hazardous decomposition products Fire creates: Carbon monoxide (CO). Carbon dioxide (CO₂).

SECTION 11: Toxicological information

11.1. Information on toxicological effects

Toxicological effects The product is not expected to be toxic to aquatic organisms.

Acute toxicity - oral

ATE oral (mg/kg) 29,246.78

Acute toxicity - dermal

ATE dermal (mg/kg) 70,463.23

Acute toxicity - inhalation

ATE inhalation (vapours mg/l) 704.63

General information

To the best of our knowledge the chemical, physical and toxicological properties have not been thoroughly investigated.

Inhalation

Gas or vapour in high concentrations may irritate the respiratory system. Symptoms following overexposure may include the following: Coughing.

Ingestion

May cause discomfort if swallowed.

Skin contact

Liquid may irritate skin.

Eye contact

Vapour or spray in the eyes may cause irritation and smarting. Prolonged contact may cause redness and/or tearing.

Acute and chronic health hazards

Not expected to be a health hazard when used under normal conditions.

Route of exposure

Inhalation Skin absorption Ingestion. Skin and/or eye contact

Medical symptoms

No specific symptoms noted, but this chemical may still have adverse health impact, either in general or on certain individuals.

Toxicological information on ingredients.

ETHANOL

Acute toxicity - oral

Acute toxicity oral (LD₅₀
mg/kg) 7,060.0

Species Rat



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

ATE oral (mg/kg)	7,060.0
Acute toxicity - dermal	
Acute toxicity dermal (LD ₅₀ mg/kg)	2,001.0
Species	Rabbit
ATE dermal (mg/kg)	2,001.0
Acute toxicity - inhalation	
Acute toxicity inhalation (LC ₅₀ vapours mg/l)	124.7
Species	Rat
ATE inhalation (vapours mg/l)	124.7
Skin corrosion/irritation	
Animal data	Not irritating.
Serious eye damage/irritation	
Serious eye damage/irritation	Irritating to eyes: Category 2.
Skin sensitisation	
Skin sensitisation	Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Based on available data the classification criteria are not met.
Genotoxicity - in vivo	Based on available data the classification criteria are not met.
Carcinogenicity	
Carcinogenicity	Based on available data the classification criteria are not met.
Reproductive toxicity	
Reproductive toxicity - fertility	Based on available data the classification criteria are not met.
Specific target organ toxicity - single exposure	
STOT - single exposure	Data lacking.
Specific target organ toxicity - repeated exposure	
STOT - repeated exposure	Data lacking.
Aspiration hazard	
Aspiration hazard	No data available.
Ingestion	After absorption: euphoria. After a latency period: dizziness, inebriation, paralysis, cyanosis, narcosis, respiratory paralysis.

ETHANEDIOL

Acute toxicity - oral



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Acute toxicity oral (LD ₅₀ mg/kg)	7,712.0
Species	Rat
Notes (oral LD ₅₀)	Acute oral toxicity is expected to be moderate in humans even though animals test results would suggest a low toxicity. Ingestion of approximately 100ml has caused death in humans. Ingestion may cause nausea, vomiting, abdominal discomfort or diarrhea. Excessive exposure may cause central nervous system effects, cardiopulmonary effects and kidney failure.
ATE oral (mg/kg)	500.0
Acute toxicity - dermal	
Acute toxicity dermal (LD ₅₀ mg/kg)	3,501.0
Species	Mouse
ATE dermal (mg/kg)	3,501.0
Acute toxicity - inhalation	
Acute toxicity inhalation (LC ₅₀ vapours mg/l)	2.6
Species	Rat
Notes (inhalation LC ₅₀)	At room temperature exposure to vapour is minimal due to low volatility. With good ventilation single exposure is not expected to cause adverse effect. If the product is heated or the working area has poor ventilation, vapour/mist may accumulate and cause respiratory irritation and symptoms such as headache and nausea.
Skin corrosion/irritation	
Animal data	Not irritating. Rabbit
Serious eye damage/irritation	
Serious eye damage/irritation	Not irritating. Rabbit
Respiratory sensitisation	
Respiratory sensitisation	Guinea pig: Not sensitising.
Skin sensitisation	
Skin sensitisation	- Guinea pig: Not sensitising.
Germ cell mutagenicity	
Genotoxicity - in vitro	Negative.
Genotoxicity - in vivo	Negative.
Carcinogenicity	
Carcinogenicity	The current toxicological knowledge allows to not classify the product as a carcinogen.
Reproductive toxicity	
Reproductive toxicity - fertility	Ingestion of large amounts has been shown to interfere with reproduction in animals.
Specific target organ toxicity - repeated exposure	



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

STOT - repeated exposure	Observations in humans include: Nystagmus (involuntary eye movement). In animals effects have been reported on the following organs: kidneys and liver. NOAEL 150 mg/kg/day, Oral, Rat
Target organs	Kidneys
Inhalation	At room temperature, exposure to vapor is minimal due to low volatility. With good ventilation, single exposure is not expected to cause adverse effects. If material is heated or areas are poorly ventilated, vapor/mist may accumulate and cause respiratory irritation and symptoms such as headache and nausea.
Ingestion	Oral toxicity is expected to be moderate in humans due to ethylene glycol even though tests with animals show a lower degree of toxicity. Ingestion of quantities (approximately 65 mL (2 oz.) for diethylene glycol or 100 mL (3 oz.) for ethylene glycol) has caused death in humans. May cause nausea and vomiting. May cause abdominal discomfort or diarrhea. Excessive exposure may cause central nervous system effects, cardiopulmonary effects (metabolic acidosis), and kidney failure. For Ethylene glycol: Lethal Dose, Human, adult 100 ml LD50, rat, male and female 7,712 mg/kg.
Skin contact	Prolonged skin contact is unlikely to result in absorption of harmful amounts. Repeated skin exposure to large quantities may result in absorption of harmful amounts. Massive contact with damaged skin or of material sufficiently hot to burn skin may result in absorption of potentially lethal amounts.
Eye contact	May cause temporary eye irritation.
Route of exposure	Ingestion.
Target organs	Kidneys Liver

SECTION 12: Ecological information

Ecotoxicity The product is not expected to be hazardous to the environment. The product components are not classified as environmentally hazardous. However, large or frequent spills may have hazardous effects on the environment.

12.1. Toxicity

Ecological information on ingredients.

ETHANOL

Acute aquatic toxicity	
Acute toxicity - fish	LC50, 96 hours: 15300 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: 9268 - 14221 mg/l, Daphnia magna
Acute toxicity - aquatic plants	LOEC, 192 hours: 5000 mg/l, Scenedesmus subspicatus
Acute toxicity - microorganisms	LOEC, : 6500 (16hr) mg/l,

ETHANEDIOL

Toxicity	Product not classified as dangerous to aquatic organisms.
Acute aquatic toxicity	



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Acute toxicity - fish	LC50, 96 hours: 72860 mg/l, Pimephales promelas (Fat-head Minnow)
Acute toxicity - aquatic invertebrates	EC ₅₀ , 48 hours: > 100 mg/l, Daphnia magna
Acute toxicity - aquatic plants	EC ₅₀ , 96 hours: 6500 - 13000 mg/l, Selenastrum capricornutum
Acute toxicity - microorganisms	EC20, 30 minutes: > 1995 mg/l, Activated sludge
Chronic aquatic toxicity	
Chronic toxicity - fish early life stage	NOEC, 7 days: 15380 mg/l, Pimephales promelas (Fat-head Minnow)
Chronic toxicity - aquatic invertebrates	NOEC, 7 days: 8590 mg/l, Ceriodaphnia Sp.

12.2. Persistence and degradability

Persistence and degradability	The surfactant(s) contained in this product complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No. 648/2004 on detergents. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them at their direct request, or at the request of a detergent manufacturer. The product is biodegradable but it must not be discharged into drains without permission from the authorities.
-------------------------------	--

Ecological information on ingredients.

ETHANOL

Persistence and degradability	The product is biodegradable.
-------------------------------	-------------------------------

ETHANEDIOL

Persistence and degradability	The product is biodegradable.
Biodegradation	Water - Degradation (%) 90 - 100%: 10 days Passes OECD test(s) for ready biodegradability. Material is ultimately biodegradable (reaches > 70% biodegradation in OECD test(s) for inherent biodegradability).

12.3. Bioaccumulative potential

Bioaccumulative potential	The product does not contain any substances expected to be bioaccumulating.
Partition coefficient	Not available.

Ecological information on ingredients.

ETHANOL

Partition coefficient	log Pow: < 2
-----------------------	--------------

ETHANEDIOL

Bioaccumulative potential	Not potentially bioaccumulative
Partition coefficient	log Pow: -1.36

12.4. Mobility in soil

Mobility	The product is soluble in water.
----------	----------------------------------



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

Ecological information on ingredients.

ETHANEDIOL

Mobility	The product is soluble in water. Volatilization from natural bodies of water or moist soil is not expected to be an important fate process. Potential for mobility in soil is very high.
Adsorption/desorption coefficient	Water - Koc: ~ 1 @ °C
Henry's law constant	~ 8.05E-09 atm m ³ /mol @ 25°C

12.5. Results of PBT and vPvB assessment

Results of PBT and vPvB assessment This product does not contain any substances classified as PBT or vPvB.

Ecological information on ingredients.

ETHANEDIOL

Results of PBT and vPvB assessment	This substance is not classified as PBT or vPvB according to current EU criteria.
------------------------------------	---

12.6. Other adverse effects

Other adverse effects Not applicable.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

General information	Waste should be treated as controlled waste. Dispose of waste to licensed waste disposal site in accordance with the requirements of the local Waste Disposal Authority. The packaging must be empty (drop-free when inverted).
Disposal methods	Absorb in vermiculite, dry sand or earth and place into containers. Dispose of waste via a licensed waste disposal contractor.

SECTION 14: Transport information

General The product is not covered by international regulations on the transport of dangerous goods (IMDG, IATA, ADR/RID).

14.1. UN number

Not applicable.

14.2. UN proper shipping name

Not applicable.

14.3. Transport hazard class(es)

No transport warning sign required.

14.4. Packing group

Not applicable.

14.5. Environmental hazards

Environmentally hazardous substance/marine pollutant
No.



Miswa Chemicals Ltd.



Polygard Screenwash Concentrate -10°C

14.6. Special precautions for user

Not applicable.

14.7. Transport in bulk according to Annex II of MARPOL and the IBC Code

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code Not applicable.

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations	Control of Pollution (Special Waste) Regulations 1980 (as amended). The Chemicals (Health and Safety) and Genetically Modified Organisms (Contained Use) (Amendment etc.) (EU Exit) Regulations 2019, SI 2019 No. 720 (as amended) The REACH etc. (Amendment etc.) (EU Exit) Regulations 2019, SI 2019 No. 758 (as amended)
EU legislation	Dangerous Substances Directive 67/548/EEC. Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) (as amended). Regulation (EC) No 1272/2008 of the European Parliament and of the Council of 16 December 2008 on classification, labelling and packaging of substances and mixtures (as amended).
Guidance	Workplace Exposure Limits EH40. Introduction to Local Exhaust Ventilation HS(G)37.

15.2. Chemical safety assessment

No chemical safety assessment has been carried out.

SECTION 16: Other information

Revision comments	NOTE: Lines within the margin indicate significant changes from the previous revision.
Issued by	HS&E Manager.
Revision date	09/06/2021
Revision	2
SDS number	20868
SDS status	Approved.
Hazard statements in full	H225 Highly flammable liquid and vapour. H301 Toxic if swallowed. H302 Harmful if swallowed. H311 Toxic in contact with skin. H319 Causes serious eye irritation. H331 Toxic if inhaled. H370 Causes damage to organs (Central nervous system, Optic Nerve (Nervus Opticus)). H373 May cause damage to organs (Kidneys) through prolonged or repeated exposure if swallowed.

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty, guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.